



LAM



DYE-SUB



CUT



SLIT



PLAST



MORE



MAT&CO



CUSTOM

CATALOGO PRODOTTI  
PRODUCTS CATALOGUE  
PRODUKTKATALOG  
CATALOGUE DE PRODUITS  
CATALOGO DE PRODUCTOS

# YOUR DIGITAL PRINT FINISHING EXPERT!



## THE SOLUTION FOR EVERY NEED

We have more than 30 years of experience in designing equipment and offering solutions in Digital Printing Finishing to make your work easier and profitable every day.

With a diverse portfolio of over 200 products, we have become a trusted partner for professionals in the visual communication industry. This includes those involved in wide format digital printing, sign making, interior decoration and wallpaper, road sign manufacturing, 3D pins and labels, as well as producing objects from plexiglass and polycarbonate. Additionally, we cater to the industrial sector with tailored applications.

Our mission is centered around satisfying the needs of end users every single day. We are dedicated to offering solutions and products that rise to the challenges of today's dynamic and high-tech printing market.

Efficiency and business solidity, brilliant intellectual resources, cutting-edge technologies, which result in solid, reliable and easy to use products: that's how we distinguish ourselves.

## MADE IN ITALY

Entirely designed and manufactured in Italy with the support of local suppliers, we have achieved excellent results, thanks to the ability to maintain and constantly improve our "creativity" and technological expertise.

100% Made by FLEXA




100% Made in Italy




# TECNOLOGY AND DESIGN

At Flexa, we continuously evolve, driven by our commitment to innovation and excellence. Our redesigned machines embody our forward-thinking approach, reflecting our passion for technological advancements and a dedication to aesthetic refinement. This dynamic mindset allows us to stay ahead in delivering cutting-edge solutions that meet the ever-changing needs of our customers.



# QUALITY GUARANTEE

Assiduous care inspires each project. Since 2001 we have been certified UNI EN ISO 9001/2008 confirming the continuous research and propensity to optimize organizational procedures and to maintain the highest quality standards in all business processes.



# FLEXA ACADEMY

The Flexa Academy has been created to be a training environment to facilitate the growth and training of our collaborators and partners. It is an important place for sharing knowledge, technology, and the values and corporate identity of our company.





# LAMINATORS



## MILLENNIUM

- IT - Laminatrice a doppio rullo caldo per grandi volumi e incapsulazione (T 140°C)  
 EN - Dual-hot laminator for high production and encapsulation (T 140°C/284°F)  
 DE - 2-Rollen Heiss-Laminator für große Arbeitsvolumen und Einkapselung (T 140°C)  
 FR - Lamineur à double rouleaux chauffants pour les productions et encapsulation importantes (T 140°C)  
 ES - Laminadora con doble rodillo caliente para grandes producciones y encapsulación (T 140°C)



**MILLENNIUM 160**  
Code 010400020

Larghezza / Width / Breite / Largeur / Ancho L 1620 mm (63 in.)  
Alberi / Shafts / Achsen / Arbres / Ejes 7

## EASY PLUS

- IT - Laminatrice a singolo o doppio rullo caldo, Wi-Fi/LAN integrato, per medi e grossi volumi e incapsulazione (T 140°C)  
 EN - Single or dual hot roller laminator with integrated Wi-Fi/LAN for medium and large volumes and encapsulation (T 140°C/284°F)  
 DE - Ein- oder 2-Rollen Heiss-Laminator, integriertes Wi-Fi/LAN, für mittlere und große Arbeitsvolumen und Einkapselung (T 140°C)  
 FR - Lamineur à un ou deux rouleaux chauffants, Wi-Fi/LAN intégré, pour des volumes moyens et importants et encapsulation  
 ES - Laminadora a simple o doble rodillo caliente para volúmenes medios y grandes y encapsulación (T 140°C)



**EASY PLUS**  
Code 010350010

Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  
Alberi / Shafts / Achsen / Arbres / Ejes 4 (5 optional)

## EASY LITE

- IT - Laminatrice con rullo superiore riscaldato e Wi-Fi/LAN integrato (T 60°C o 120°C)  
 EN - Laminator with heated upper roller and integrated Wi-Fi/LAN (T 60°C or 120°C/140°F or 248°F)  
 DE - Laminator mit beheizter oberer Laminierwalze und Wi-Fi/LAN (T 60°C oder 120°C)  
 FR - Lamineur avec rouleau supérieur chauffant et Wi-Fi/LAN intégré (T 60°C ou 120°C)  
 ES - Laminadora con rodillo superior caliente y con Wi-Fi integrado (T 60°C o 120°C)



**EASY LITE 160**  
Code 010200400

Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  
Alberi / Shafts / Achsen / Arbres / Ejes 3 (4 optional)

**EASY LITE 110**  
Code 010200140

Larghezza / Width / Breite / Largeur / Ancho 1100 mm (43 in.)  
Alberi / Shafts / Achsen / Arbres / Ejes 3 (4 optional)

## EASY AIR


IT - Laminatrice con rullo superiore riscaldato e sollevamento pneumatico (T 30°C- 40°C-50°C)

EN - Laminator with heated upper roller and pneumatic lifting (T 30°C - 40°C -50°C / 86°F -104°F -122°F)

DE - Laminator mit beheizter oberer Laminierwalze und pneumatisches Heben (T 30°C- 40°C-50°C)

FR - Lamineur avec rouleau supérieur chauffant et levage pneumatique (T 30°C- 40°C-50°C)

ES - Laminadora con rodillo superior caliente y elevación neumática (T 30°C - 40°C - 50°C)



EASY AIR  
Code 010200230

Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  
Alberi / Shafts / Achsen / Arbres / Ejes 3 (4 optional)

## MNL

IT - Laminatrice per segnaletica stradale e applicazioni industriali

EN - Laminator for road sign makers and industrial applications

DE - Laminator für die Herstellung von Straßenverkehrsschildern und industriellen Applikationen

FR - Lamineur pour la signalisation routière et applications industrielles

ES - Laminadora para señales de tráfico y para aplicaciones industriales



**MNL SIGN 1700**  
Code 010550401

Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.)

**MNL SIGN 1500**  
Code 010550301

Larghezza / Width / Breite / Largeur / Ancho 1500 mm (59 in.)

**MNL SIGN 1300**  
Code 010550201

Larghezza / Width / Breite / Largeur / Ancho 1300 mm (51 in.)

**CWT PREMIUM**


IT - Applicatrice piana, tappeto antitaglio, vassoi laterali, un portarotoli, regolaz. elettrica altezza piano di lavoro, tavolo illuminato a LED

EN - Flatbed applicator, cutting mat, side storage trays, roll holder, electronic work height adjust., LED illuminated worktable

DE - Flachbettlaminator, Schnittschutzmatte, Seitentafeln, Rollenhalter, elekt. Höhenverstellung Arbeitsplatte, LED-beleuchteter Tisch

FR - Applicateur à plat, tapis anti-coupure, plateaux latéraux, porte-rouleaux, réglage électr. hauteur de la table, table éclairée à LED

ES - Laminadora plana, alfombras de protección contra cortes, bandejas laterales, portarodillos, regulación eléctrica de la altura del plano de trabajo, mesa con iluminación led



|  |  |
|--|--|
| <b>CWT 1747 PREMIUM</b><br><i>Code 010620260</i> | Larghezza / Width / Breite / Largeur / Ancho 4270 mm (168 in.) |
| <b>CWT 1740 PREMIUM</b><br><i>Code 010620250</i> | Larghezza / Width / Breite / Largeur / Ancho 3550 mm (140 in.) |
| <b>CWT 1736 PREMIUM</b><br><i>Code 010620240</i> | Larghezza / Width / Breite / Largeur / Ancho 3200 mm (126 in.) |
| <b>CWT 1730 PREMIUM</b><br><i>Code 010620230</i> | Larghezza / Width / Breite / Largeur / Ancho 2560 mm (100 in.) |

**CWT REGULAR**

IT - Applicatrice piana, tappeto antitaglio, vassoi laterali, un portarotoli, tavolo illuminato a LED (optional)

EN - Flatbed laminator, cutting mat, side storage trays, roll holder, LED illuminated worktable (optional)

DE - Flachbettlaminator, Schnittschutzmatte, Seitentafeln, Rollenhalter, LED-beleuchteter Tisch (optional)

FR - Applicateur à plat, tapis anti-coupure, plateaux latéraux, porte-rouleaux, table éclairée à LED (en option)

ES - Laminadora plana, alfombras de protección contra cortes, bandejas laterales, portarodillos, mesa con iluminación led (opcional)



|  |  |
|--|--|
| <b>CWT 1747 REGULAR</b><br><i>Code 010620300</i> | Larghezza / Width / Breite / Largeur / Ancho 4270 mm (138 in.) |
| <b>CWT 1740 REGULAR</b><br><i>Code 010620290</i> | Larghezza / Width / Breite / Largeur / Ancho 3550 mm (140 in.) |
| <b>CWT 1736 REGULAR</b><br><i>Code 010620280</i> | Larghezza / Width / Breite / Largeur / Ancho 3200 mm (126 in.) |
| <b>CWT 1730 REGULAR</b><br><i>Code 010620270</i> | Larghezza / Width / Breite / Largeur / Ancho 2560 mm (101 in.) |
| <b>CWT 2147 REGULAR</b><br><i>Code 010620090</i> | Larghezza / Width / Breite / Largeur / Ancho 4260 mm (168 in.) |

**CWT ADVANTAGE**

IT - Applicatrice piana, tappeto antitaglio, un portarotoli, ruote pivotanti, tavolo illuminato a LED

EN - Flatbed laminator, cutting mat, roll holder, casters, LED illuminated worktable

DE - Flachbettlaminator, Schnittschutzmatte, Rollenhalter, Lenkrollen, LED-beleuchteter Tisch

FR - Applicateur à plat, tapis anti-coupure, porte-rouleaux, roues pivotantes, table éclairée à LED

ES - Laminadora plana, alfombras de protección contra cortes, portarodillos, ruedas giratorias, mesa con iluminación led



|  |   |
|--|---|
| <b>CWT 1428 ADVANTAGE</b><br><i>Code 010620021</i> | Larghezza / Width / Breite / Largeur / Ancho 1450 mm (57 in.) |
| <b>CWT 1016 ADVANTAGE</b><br><i>Code 010620011</i> | Larghezza / Width / Breite / Largeur / Ancho 990 mm (39 in.)  |



FLEX



# DYE-SUBLIMATION



# HEAT CALENDER FOR DYE-SUBLIMATION



## SUBLIMAX 170

IT - Calandra a rullo a olio caldo per sublimazione, Ø cilindro 250 mm

EN - Heat calender (oil heated) for dye-sublimation, drum Ø 250 mm (10 in.)

DE - Heiss-Kalander (Öl geheizt) für Farb-Sublimation, Zylinder Ø 250 mm

FR - Calandre avec un rouleau chauffant à bain d'huile pour la sublimation, Ø cylindre 250 mm

ES - Calandra en el rodillo de aceite caliente para sublimación, Ø cilindro 250 mm



**SUBLIMAX 170**  
Code 010700100

Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.)





# CUTTERS



# FLEXIBLE MEDIA CUTTERS



CUT

## MIURA KATANA

IT - Taglierina automatica XY per carta da parati con sistema di taglio innovativo e allineamento verticale automatico

EN - Automatic XY cutter for wallpaper with innovative cutting system and vertical cutting correction

DE - Automatischer, elektrischer YX-Schneider für Tapeten mit innovativem Schneidsystem und automatischer Längsschnitt-Korrektur

FR - Coupeuse électrique automatique XY pour papier peint avec avec système de coupe innovant et alignement vertical automatique

ES - Cizalla eléctrica automática XY para papel de pared y con con sistema de corte innovador e alineación vertical automática



**MIURA KATANA**  
Code 040150010

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)

## MIURA WALLPAPER

IT - Taglierina automatica XY per carta da parati con allineamento verticale automatico

EN - Automatic XY cutter for wallpaper with automatic vertical cutting correction

DE - Automatischer, elektrischer YX-Schneider für Tapeten mit automatischer Längsschnitt-Korrektur

FR - Coupeuse électrique automatique XY pour papier peint avec alignement vertical automatique

ES - Cizalla eléctrica automática XY para papel de pared y con alineación vertical automática



**MIURA WALLPAPER 160**  
Code 040100220

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)

## MIURA PLUS

IT - Taglierina automatica XY per materiali flessibili con allineamento verticale automatico

EN - Automatic XY cutter for flexible media with automatic vertical cutting correction

DE - Automatischer, elektrischer YX-Schneider für flexible Materialien mit automatischer Längsschnitt-Korrektur

FR - Coupeuse électrique automatique XY pour les matériaux souples avec alignement vertical automatique

ES - Cizalla eléctrica automática XY para materiales flexibles con alineación vertical automática



**MIURA PLUS 265**  
Code 040100371

Larghezza / Width / Breite / Largeur / Ancho 2650 mm (104 in.)

**MIURA PLUS 210**  
Code 040100380

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (82 in.)

**MIURA PLUS 160**  
Code 040100220

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)

**MIURA PLUS HD 160**  
Code 040100230

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)

# FLEXIBLE MEDIA CUTTERS



## MIURA PLUS BUFFER

- IT - Taglierina automatica XY per il taglio in linea con allineamento verticale automatico
- EN - Automatic XY cutter for inline cutting with automatic vertical cutting correction
- DE - Automatischer XY-Cutter für Inline-Cutting mit automatischer Längsschnitt-Korrektur
- FR - Coupeuse électrique automatique XY pour la coupe en ligne avec alignement vertical automatique
- ES - Cizalla eléctrica automática XY para corte en línea con alineación vertical automática



|   |   |
|---|---|
| <p><b>MIURA PLUS BUFFER 210</b><br/>Code 040100550</p> <p><b>MIURA PLUS BUFFER 160</b><br/>Code 040100541</p> | <p>Larghezza / Width / Breite / Largeur / Ancho 2100 mm (87 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)</p> |
|---|---|

## MIURA

- IT - Taglierina automatica XY per materiali flessibili da rotolo a fogli
- EN - Automatic XY cutter for flexible media from roll to sheet
- DE - Automatischer, elektrischer YX-Schneider für flexible Materialien von Rolle-zu-Blatt
- FR - Coupeuse électrique automatique XY pour les matériaux souples roll-to-feuille
- ES - Cizalla eléctrica automática XY para materiales flexibles de rollo a hoja



|  |   |
|--|---|
| <p><b>MIURA 210</b><br/>Code 040100371</p> <p><b>MIURA 210</b><br/>Code 040100380</p> <p><b>MIURA 160</b><br/>Code 040100220</p> | <p>Larghezza / Width / Breite / Largeur / Ancho 2650 mm (104 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 2100 mm (82 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)</p> |
|--|---|

## MIURA TABLES

- IT - Tavoli di raccolta Miura
- EN - Miura collecting tables
- DE - Miura Tische für die Sammlung
- FR - Tables de collecte Miura
- ES - Mesas de reunión Miura



|  |   |
|--|---|
| <p><b>STACKER</b><br/>Code 630500321</p> <p><b>FOLDING COLLECTING TABLE</b><br/>Code 630500230</p> <p><b>TILT TABLE COLLECTING TABLE WITH WHEELS</b><br/>Code 610600040</p> <p><b>TILT TABLE COLLECTING TABLE WITH WHEELS</b><br/>Code 610600070</p> | <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)<br/>Profondità/Length/Tiefe/Profondeur/Profundidad 3200 mm (126 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)<br/>Profondità/Length/Tiefe/Profondeur/Profundidad 2000 mm (78 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)<br/>Profondità / Length / Tiefe / Profondeur / Profundidad 1580 mm (62 in.)</p> <p>Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)<br/>Profondità/Length/Tiefe/Profondeur/Profundidad 3100 mm (122 in.)</p> |
|--|---|

# FLEXIBLE MEDIA CUTTERS



CUT

## EXTRIM

IT - Taglierina elettrica a pedale per materiali flessibili

EN - Electric trimmer with foot pedal for flexible media

DE - Elektrische Schneideleiste mit Fusspedal für flexible Materialien

FR - Cisaille électrique a pédale pour les matériaux souples

ES - Cizalla eléctrica con pedal para materiales flexibles



**EXTRIM 360**      Larghezza / Width / Breite / Largeur / Ancho 3640 mm (142 in.)  
*Code 040200340*

**EXTRIM 260**      Larghezza / Width / Breite / Largeur / Ancho 2640 mm (103 in.)  
*Code 040200050*

**EXTRIM 160**      Larghezza / Width / Breite / Largeur / Ancho 1640 mm (64 in.)  
*Code 040200210*

# VERTICAL PANEL SAW



CUT

## DOGMA 3.2

IT - Sezione verticale motorizzata per pannelli con sistema aspirazione trucioli (optional)

EN - Motorized vertical panel saw with suction chips system (optional)

DE - Vertikale Wandsäge mit Absaugung (optional)

FR - Scie verticale à panneaux motorisée avec système d'aspiration des poussières (optional)

ES - Sierra vertical motorizada por paneles con sistema de aspiración de residuos (opcional)



DOGMA 3.2  
Code 035200050

Larghezza / Width / Breite / Largeur / Ancho 3000 x 2100 mm  
(118 x 79 in.)

### EVOLUTION 3 SMARTFOLD

- IT - Taglierina orizzontale per stampe e pannelli. Ribaltabile sotto il tavolo  
 EN - Table top cutter bar for prints and boards. Fold-away under-bench storage  
 DE - Schneidgerät für leichte Platten und Drucke. Klappbar unter dem Tisch  
 FR - Règle de coupe pour médias et panneaux. Rabattable sous la table  
 ES - Cizalla horizontal para impresiones y paneles. Abatible debajo de la mesa



|  |  |
|--|--|
| <b>SMARTFOLD 3SF360</b><br><i>Code 040700250</i> | Larghezza / Width / Breite / Largeur / Ancho 3600 mm (142 in.) |
| <b>SMARTFOLD 3SF310</b><br><i>Code 040700240</i> | Larghezza / Width / Breite / Largeur / Ancho 3100 mm (124 in.) |
| <b>SMARTFOLD 3SF260</b><br><i>Code 040700230</i> | Larghezza / Width / Breite / Largeur / Ancho 2600 mm (104 in.) |
| <b>SMARTFOLD 3SF210</b><br><i>Code 040700220</i> | Larghezza / Width / Breite / Largeur / Ancho 2100 mm (84 in.)  |
| <b>SMARTFOLD 3SF160</b><br><i>Code 040700210</i> | Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  |
| <b>SMARTFOLD 3SF110</b><br><i>Code 040700200</i> | Larghezza / Width / Breite / Largeur / Ancho 1100 mm (44 in.)  |

### SMARTFOLD BENCH

- IT - Tavolo di supporto per Evolution 3 Smartfold  
 EN - Supporting Bench for Evolution 3 Smartfold  
 DE - Arbeitstisch für Evolution 3 Smartfold  
 FR - Table de support pour Evolution 3 Smartfold  
 ES - Mesa de soporte para Evolution 3 Smartfold



|   |  |
|---|--|
| <b>S. BENCH 3600</b><br><i>Code 630401050</i> | Larghezza / Width / Breite / Largeur / Ancho (3990x1330/1630x900mm) (157 x 52/64 x 35 in.) |
| <b>S. BENCH 3100</b><br><i>Code 630401040</i> | Larghezza / Width / Breite / Largeur / Ancho (3490x1330/1630x900mm) (137 x 52/64 x 35 in.) |
| <b>S. BENCH 2600</b><br><i>Code 630401030</i> | Larghezza / Width / Breite / Largeur / Ancho (2990x1330/1630x900mm) (117 x 52/64 x 35 in.) |
| <b>S. BENCH 2100</b><br><i>Code 630401020</i> | Larghezza / Width / Breite / Largeur / Ancho (2490x1330/1630x900mm) (98 x 52/64 x 35 in.)  |
| <b>S. BENCH 1600</b><br><i>Code 630401010</i> | Larghezza / Width / Breite / Largeur / Ancho (1990x1330/1630x900mm) (78 x 52/64 x 35 in.)  |
| <b>S. BENCH 1100</b><br><i>Code 630401000</i> | Larghezza / Width / Breite / Largeur / Ancho (1490x1330/1630x900mm) (58 x 52/64 x 35 in.)  |

### EVOLUTION 3 BENCHTOP

- IT - Taglierina orizzontale per stampe e pannelli. Si adatta a qualsiasi base di supporto  
 EN - Table top cutter bar for prints and boards. Fits on any flat bench  
 DE - Schneidgerät für leichte Platten und Drucke. Paßt auf jede flache Bank  
 FR - Règle de coupe pour médias et panneaux. Convient à tout banc plat  
 ES - Cizalla horizontal para impresiones y paneles. Se adapta a cualquier banco plano



|   |  |
|---|--|
| <b>BENCHTOP 3BT360</b><br><i>Code 040750210</i> | Larghezza / Width / Breite / Largeur / Ancho 3600 mm (142 in.) |
| <b>BENCHTOP 3BT310</b><br><i>Code 040750200</i> | Larghezza / Width / Breite / Largeur / Ancho 3100 mm (124 in.) |
| <b>BENCHTOP 3BT260</b><br><i>Code 040750190</i> | Larghezza / Width / Breite / Largeur / Ancho 2600 mm (104 in.) |
| <b>BENCHTOP 3BT210</b><br><i>Code 040750180</i> | Larghezza / Width / Breite / Largeur / Ancho 2100 mm (84 in.)  |
| <b>BENCHTOP 3BT160</b><br><i>Code 040750170</i> | Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  |
| <b>BENCHTOP 3BT110</b><br><i>Code 040750160</i> | Larghezza / Width / Breite / Largeur / Ancho 1100 mm (44 in.)  |

## BENCHTOP BENCH

- IT - Tavolo di supporto per Evolution 3 Benchtop  
 EN - Supporting Bench for Evolution 3 Benchtop  
 DE - Arbeitstisch für Evolution 3 Benchtop  
 FR - Table de support pour Evolution 3 Benchtop  
 ES - Mesa de soporte para Evolution 3 Benchtop



|   |   |
|---|---|
| <b>BENCHTOP BENCH 3600</b><br><i>Code 630401110</i> | Larghezza / Width / Breite / Largeur / Ancho (3990 x 1200/1500 x 900 mm) (157 x 47/59 x 35 in.) |
| <b>BENCHTOP BENCH 3100</b><br><i>Code 630401100</i> | Larghezza / Width / Breite / Largeur / Ancho (3490 x 1200/1500 x 900 mm) (137 x 47/59 x 35 in.) |
| <b>BENCHTOP BENCH 2100</b><br><i>Code 630401090</i> | Larghezza / Width / Breite / Largeur / Ancho (2990 x 1200/1500 x 900 mm) (117 x 47/59 x 35 in.) |
| <b>BENCHTOP BENCH 2100</b><br><i>Code 630401080</i> | Larghezza / Width / Breite / Largeur / Ancho (2490 x 1200/1500 x 900 mm) (98 x 47/59 x 35 in.)  |
| <b>BENCHTOP BENCH 1600</b><br><i>Code 630401070</i> | Larghezza / Width / Breite / Largeur / Ancho (1990 x 1200/1500 x 900 mm) (78 x 47/59 x 35 in.)  |
| <b>BENCHTOP BENCH 1100</b><br><i>Code 630401060</i> | Larghezza / Width / Breite / Largeur / Ancho (1490 x 1200/1500 x 900 mm) (58 x 47/59 x 35 in.)  |

## EVOLUTION 3 FREEHAND

- IT - Taglierina orizzontale portatile  
 EN - Portable cutter  
 DE - Tragbares Schneidegerät  
 FR - Règle de coupe portable  
 ES - Cizalla horizontal portátil



|   |  |
|---|--|
| <b>FREEHAND 3FH310</b><br><i>Code 040750140</i> | Larghezza / Width / Breite / Largeur / Ancho 3100 mm (124 in.) |
| <b>FREEHAND 3FH260</b><br><i>Code 040750130</i> | Larghezza / Width / Breite / Largeur / Ancho 2600 mm (104 in.) |
| <b>FREEHAND 3FH210</b><br><i>Code 040750120</i> | Larghezza / Width / Breite / Largeur / Ancho 2100 mm (84 in.)  |
| <b>FREEHAND 3FH160</b><br><i>Code 040750110</i> | Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  |
| <b>FREEHAND 3FH110</b><br><i>Code 040750100</i> | Larghezza / Width / Breite / Largeur / Ancho 1100 mm (44 in.)  |

## SIMPLEX

- IT - Taglierina orizzontale portatile e leggera  
 EN - Light and portable cutter  
 DE - Tragbares und leichter Schneidegerät  
 FR - Règle de coupe portable et léger  
 ES - Cizalla horizontal portátil y ligero



|  |  |
|--|--|
| <b>SIMPLEX 3100</b><br><i>Code 040800050</i> | Larghezza / Width / Breite / Largeur / Ancho 3100 mm (122 in.) |
| <b>SIMPLEX 2600</b><br><i>Code 040800040</i> | Larghezza / Width / Breite / Largeur / Ancho 2600 mm (103 in.) |
| <b>SIMPLEX 2100</b><br><i>Code 040800030</i> | Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)  |
| <b>SIMPLEX 1600</b><br><i>Code 040800020</i> | Larghezza / Width / Breite / Largeur / Ancho 1600 mm (64 in.)  |
| <b>SIMPLEX 1100</b><br><i>Code 040800010</i> | Larghezza / Width / Breite / Largeur / Ancho 1100 mm (44 in.)  |

## STEELTRAK

IT - Taglierina verticale per pannelli

EN - Vertical cutter for rigid boards

DE - Vertikaler Plattenschneider

FR - Scie à panneaux verticale

ES - Cizalla vertical para paneles



**STEELTRAK 250**  
Code 040500310

Larghezza / Width / Breite / Largeur / Ancho 2500 mm (98 in.)

**STEELTRAK 210**  
Code 040500300

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

**STEELTRAK 165**  
Code 040500010

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)



# ROLL SLITTERS



# ROLL-SLITTERS



## STRATOS

IT - Tagliarotoli automatica a lama motorizzata

EN - Automatic roll slitter with motorized blade

DE - Automatische Rollenschneidemaschine mit motorisierter Klinge

FR - Découpeuse de bobines automatique avec lame motorisée

ES - Máquina cortarrillos automatica con cuchilla motorizada



STRATOS  
Code 015400021

Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.)

## TESIS FLAG

IT - Tagliarotoli con ribobinatore integrato. Taglia in altezza e riavvolge in lunghezza le bobine.

EN - Roll slitter with integrated rewinder. Material length counter and roll slitter

DE - Rollenschneidemaschine mit integriertem Umwickler. Materiallängenzähler und Rollenschneider

FR - Découpeuse des bobines avec rembobineuse intégrée. Compteur de longueur de matériau et découpeuse de rouleau

ES - Máquina cortarrillos con rebobinador integrado. Contador de longitud de material y cortador de rollo



TESIS FLAG  
Code 015200031

Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.)

## TESIS R

IT - Tagliarotoli con ribobinatore integrato

EN - Roll slitter with integrated rewinder

DE - Rollenschneidemaschine mit integriertem Umwickler

FR - Decoupeuse de bobines avec rembobineuse integree

ES - Máquina cortarrillos con rebobinador integrado



TESIS R 5100  
Code 015200611

Larghezza / Width / Breite / Largeur / Ancho 5100 mm (201 in.)  
on demand

TESIS R 3300  
Code 015200411

Larghezza / Width / Breite / Largeur / Ancho 3300 mm (130 in.)  
on demand

TESIS R 2300  
Code 015200211

Larghezza / Width / Breite / Largeur / Ancho L 2300 mm (91 in.)

TESIS R 1700  
Code 015200041

Larghezza / Width / Breite / Largeur / Ancho L 1700 mm (67 in.)

# ROLL-SLITTERS



## TESIS

IT - Tagliarotoli

EN - Roll slitter

DE - Rollenschneidemaschine

FR - Decoupeuse des bobines

ES - Maquina cortarrollos



**TESIS 5100**  
*Code 015100611*    Larghezza / Width / Breite / Largeur / Ancho 5100 mm (201 in.)  
on demand

**TESIS 3300**  
*Code 015100411*    Larghezza / Width / Breite / Largeur / Ancho 3300 mm (130 in.)  
on demand

**TESIS 2300**  
*Code 015100211*    Larghezza / Width / Breite / Largeur / Ancho 2300 mm (91 in.)

**TESIS 1700**  
*Code 015100031*    Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.)

## TGE

IT - Tagliarotoli

EN - Roll slitter

DE - Rollenschneidemaschine

FR - Découpeuse des bobines

ES - Máquina cortarrollos



**TGE 2100**  
*Code 015300210*    Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

**TGE 1600**  
*Code 015300030*    Larghezza / Width / Breite / Largeur / Ancho 1650 mm (64 in.)

# ROLL-SLITTERS



## UD 170

IT - Sistema per lo svolgimento e il riavvolgimento di bobine jumbo

EN - System for unwinding and rewinding jumbo rolls

DE - System zum Abwickeln und Aufwickeln von Jumbo-Rollen

FR - Système de débobinage et de rebobinage des rouleaux jumbo

ES - Sistema de desenrollado y rebobinado de rollos jumbo



**UD 170**  
Code 020400020

Larghezza / Width / Breite / Largeur / Ancho 1650 mm (65 in.)

## MASTER ROLL HORIZON 160

IT - Ribobinatore orizzontale con display touch screen

EN - Horizontal rewinder with touch screen display

DE - Horizontaler Umwickler mit Touchscreen-Display

FR - Rembobineuse horizontale avec écran tactile

ES - Rebobinador horizontal con pantalla táctil



**MASTER ROLL HORIZON**  
**160**  
Code 020200020

Altezza max. bobine / Max rolls height / Max. Höhe Rollen / Hauteur maxi bobines / Altura max. bobinas 1650 mm (65 in.)

Max Ø 250 mm (10 in.)

## MASTER ROLL 150

IT - Ribobinatore verticale con display touch screen

EN - Vertical rewinder with touch screen display

DE - Vertikaler Umwickler mit Touchscreen-Display

FR - Rembobineuse verticale avec écran tactile

ES - Rebobinador vertical con pantalla táctil



**MASTER ROLL 150**  
Code 020100020

Altezza max. bobine / Max. rolls height / Max. Höhe Rollen / Hauteur maxi bobines / Altura max. bobinas 1500 mm (60 in.)

Max Ø 240 mm (10 in.)



# PLASTIC MATERIALS



## PGM MB ACC


IT - Unità lineari di riscaldamento bifacciali per la piega di materiali plastici con spessore massimo 15 mm

EN - Twin-side heating line for bending for methacrylate sheets , max. thickness 15 mm (0,6 in.)

DE - Zweiseitiges Heizsystem (doppeltes System) zum Biegen von Kunststoffen mit Stärken bis zu 15 mm

FR - Unite linéaire de chauffage double face pour le pliage de matières plastiques, épaisseur max. 15 mm

ES - Unidad lineal de calefacción de doble cara para el plegado de materiales termoplásticos hasta 15 mm de grosor



**PGM MB 300 ACC**  
Code 025550400

Larghezza / Width / Breite / Largeur / Ancho 3100 mm (122 in.)  
on demand

**PGM MB 200 ACC**  
Code 025550200

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

## PGM MB 200 - PGM MB 100

IT - Unità lineari di riscaldamento monofacciali per la piega di materiali plastici con spessore massimo 10 mm

EN - Single-side heating line for bending for methacrylate sheets, max. thickness 10 mm (0,4 in.)

DE - Heizsystem zum Biegen von Kunststoffen mit Stärken bis zu 10 mm

FR - Unité linéaire de chauffage pour le pliage de matières plastiques, épaisseur max. 10 mm

ES - Unidad lineal de calefacción para el plegado de materiales termoplásticos hasta 10 mm de grosor



**PGM MB 200**  
Code 025100200

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

**PGM MB 100**  
Code 025100010

Larghezza / Width / Breite / Largeur / Ancho 1050 mm (42 in.)

## PGM 45 - PGM 18

IT - Unità lineari di riscaldamento monofacciali per la piega di metacrilati / PGM 45 spessore max. 5 mm / PGM 18 spessore max. 4 mm

EN - One side heating line bending equipment for methacrylate/PGM 45 max. thickness 5 mm (0,2 in.) - PGM 18 max. thickness 4 mm (0,16 in.)

DE - Einseitiges Heizsystem zum Biegen von Kunststoffen / PGM 45 für Stärken bis zu 5 mm - PGM 18 für Stärken bis zu 4 mm

FR - Unité linéaire de chauffage simple face pour le pliage de matières plastiques/PGM 45 épaisseur max. 5 mm - PGM 18 épaisseur max. 4 mm

ES - Unidad lineal de calefacción una sola cara para el plegado de materiales termoplásticos/PGM 45 hasta 5 mm de grosor - PGM 18 hasta 10 mm de grosor 4 mm



**PGM 18/200**  
Code 025300200

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

**PGM 18/100**  
Code 025300010

Larghezza / Width / Breite / Largeur / Ancho 1050 mm (42 in.)

**PGM 45/300**  
Code 025200400

Larghezza / Width / Breite / Largeur / Ancho 3100 mm (122 in.)

**PGM 45/200**  
Code 025200200

Larghezza / Width / Breite / Largeur / Ancho 2100 mm (83 in.)

**PGM 45/100**  
Code 025200010

Larghezza / Width / Breite / Largeur / Ancho 1050 mm (42 in.)

## PGM BENCH

IT - Banco di supporto per PGM MB, PGM 45 & PGM 18

EN - Supporting bench for PGM MB, PGM 45 & PGM 18

DE - Arbeitstisch für PGM MB, PGM 45 & PGM 18

FR - Etabli de support pour PGM MB, PGM 45 & PGM 18

ES - Banco de soporte para PGM MB, PGM 45 & PGM 18



**PGM BENCH 3000**      Larghezza / Width / Breite / Largeur / Ancho 3095 mm (122 in.)  
Code 025700400

**PGM BENCH 2000**      Larghezza / Width / Breite / Largeur / Ancho 2250 mm (89 in.)  
Code 025700200

**PGM BENCH 1000**      Larghezza / Width / Breite / Largeur / Ancho 1255 mm (50 in.)  
Code 025700010

## FLEXA ICE CHILLER

IT - Gruppo di raffreddamento per PGM

EN - Cooling sytem for PGM equipment

DE - Kühlsystem für PGM Systeme

FR - Système refroidissement pour toutes les machines PGM

ES - Sistema de refrigeración para todas las máquinas PGM



**FLEXA ICE 10000**      Capienza / Capacity / Kapazität / Capacité / Capacidad 100 lt (27 gal)  
Code 065650050

**FLEXA ICE 7500**      Capienza / Capacity / Kapazität / Capacité / Capacidad 40 lt (11 gal)  
Code 065650040

**FLEXA ICE 5000**      Capienza / Capacity / Kapazität / Capacité / Capacidad 40 lt (11 gal)  
Code 065650030

**FLEXA ICE 4200**      Capienza / Capacity / Kapazität / Capacité / Capacidad 18 lt (5 gal)  
Code 065650070

**FLEXA ICE 2500**      Capienza / Capacity / Kapazität / Capacité / Capacidad 18 lt (5 gal)  
Code 065650060



## AIR GUN + POWER SUPPLY

IT - Sistema antistatico con pistola ionizzatrice

EN - Air gun and power supply

DE - Antistatische Ionensprühpistole

FR - Système antistatique avec pistolet ionisant

ES - Sistema antiestático pistola ionizadora



### KIT IONIZING AIR GUN Code 030600020



Elimina l'elettricità statica dalle lastre e dai film plastici  
It eliminates the static electricity from the plates and the plastic films  
Beseitigung elektrischer Aufladung von Kunststoffoberflächen  
Elle élimine l'électricité statique sur les films et les plaques plastique  
Elimina la electricidad estática de las placas y del film plástico



# OTHER MACHINES



## APOLLO

IT - Saldatrice a impulsi per teli in PVC e tessuto

EN - Impulse welding machine for PVC banner and fabric

DE - Impuls-Schweiss-Maschine für Planen und Stoffe

FR - Soudeuse à impulsion électrique pour bâches en PVC et tissus

ES - Soldadora con tecnología de impulso para lonas de PCV y tejidos



**APOLLO 155**  
Code 045100071

Larghezza / Width / Breite / Largeur / Ancho 1500 mm / 20 mm  
(60 in./ 0,8 in.)



## FLEXADOME

IT - Sistema di resinatura monocomponente UV

EN - Single component UV doming system

DE - Brandneues System mit Einkomponentiger UV- Spezialkunststoff

FR - Système pour l'application de résine UV mono-composant

ES - Sistema para aplicar resina UV monocomponente



**FLEXADOME ADVANCED**  
Code 065120010

Forno UV, 2 vassoi, dispenser computerizzato / UV oven, 2 plates,  
computerized dispenser / UV-Trockenofen, 2 Arbeitsplatten,  
elektronisch gesteuertem Spender / Four UV, 2 plateaux distributeur  
numerique / Horno UV, 2 placas, dosi cador asistido

**FLEXADOME DEMO KIT**  
Code 065120030

Fornetto UV, 1/2 kg resina UV, siringa, paio di guanti / Mini UV oven, 1/2  
kilo of UV resin, matt black syringe, pair of gloves / Mini- UV Ofen, 0,5 kg  
Resin, Spritze, Handschuhe / Mini four UV, 1/2 kilo de resine, seringue,  
gants / Mini horno UV, 1/2 kilo de resina UV, jeringa UV-Block, guantes



## GHOST MP / GHOST EVO


IT - Occhiellatrice automatica autoperforante  
 EN - Automatic self-perforating  
 DE - Automatisch stanzende Ösenpresse  
 FR - Sertisseuse autoperforante  
 ES - Olladora automática autoperforante



|  |  |
|--|--|
| <p><b>GHOST MP</b><br/>Code 050300050</p> <p><b>GHOST MP METAL FLAT</b><br/>Code 050300100</p> <p><b>GHOST EVO PRO</b><br/>Code 050300060</p> <p><b>GHOST EVO PRO METAL FLAT</b><br/>Code 050300090</p> <p><b>GHOST EVOLUTION</b><br/>Code 050300030</p> | <p>For heavy PVC banner and textile. High volumes. Plastic clear eyelets</p> <p>For heavy PVC banner and textile. High volumes. Nickel plated steel eyelets</p> <p>For standard PVC banner and textile. Medium volume. Plastic clear eyelets</p> <p>For PVC banners and textiles. High-medium volumes. Nickel plated steel eyelets</p> <p>For standard PVC banner and textile. Medium volume. Plastic clear eyelets.</p> |
|--|--|

## GHOST 700 / GHOST 600

IT - Occhiellatrice pneumatica autoperforante per occhielli in plastica (optional per occhielli in acciaio nichelato)  
 EN - Pneumatic self-perforating punching machine for plastic eyelets (optional for nickel plated steel eyelets)  
 DE - Pneumatisch stanzende Ösenpresse -für Kunststoffösen (optional für vernickelte Stahlösen)  
 FR - Sertisseuse pneumatique autoperforante pour œillets plastique (en option pour œillets acier plaqué nickel)  
 ES - Olladora neumática autoperforante para ojales de plástico (opcional por ojales de acero niquelado)



|   |   |
|---|---|
| <p><b>GHOST 700</b><br/>Code 050200020</p> <p><b>GHOST 600</b><br/>Code 050200010</p> | <p>Azionamento a pedale / With foot pedal / Mit Fußpedal / Actionnement à pédale / Accionamiento por pedal</p> <p>Azionamento manuale / Manually operated / Manuelle Bedienung / Actionnement manuel / Accionamiento manual</p> |
|---|---|

## GHOST 250 / GHOST 200

IT - Occhiellatrice manuale autoperforante per occhielli in plastica (optional per occhielli in acciaio nichelato)  
 EN - Manual self-perforating punching machine for plastic eyelets (optional for nickel plated steel eyelets)  
 DE - Manuelle stanzende Ösenpresse -für Kunststoffösen (optional für vernickelte Stahlösen)  
 FR - Sertisseuse manuelle autoperforante pour œillets plastique (en option pour œillets acier plaqué nickel)  
 ES - Olladora manual autoperforante para ojales de plástico (opcional por ojales de acero niquelado)



|   |   |
|---|---|
| <p><b>GHOST 250</b><br/>Code 050100020</p> <p><b>GHOST 200</b><br/>Code 050100010</p> | <p>Da tavolo / Table top / Tischplatte / Table / Mesa</p> <p>Da tavolo / Table top / Tischplatte / Table / Mesa</p> |
|---|---|

## CLEAR EYELETS

IT - Occhielli in plastica per modelli Ghost

EN - Plastic clear eyelets for Ghost models

DE - Kunststoffösen für Ghost Modelle

FR - Œillets plastique pour Ghost modèles

ES - Ojal de plástico para Ghost modelos



### CLEAR EYELETS

Code 640200010

### WHITE EYELETS

Code 640200020

### BLACK EYELETS

Code 640200030

### CLEAR EYELETS

Code 640200040

### CLEAR EYELETS

Code 640200160

### WHITE EYELETS

Code 640200050

Clear eyelet Ø 8 mm (0,32 in.)

White eyelet Ø 8 mm (0,32 in.) (1000 units) on request

Black eyelet Ø 8 mm (0,32 in.) (1000 units) on request

Eyelet + Clear washer Ø 12 mm (0,5 in.)

Long neck eyelet + Clear washer Ø 12 mm (0,5 in.) (1000 + 1000 units)

Eyelet + White washer Ø 12 mm (0,5 in.) (1000 + 1000 units) on request

## NICKEL PLATED STEEL EYELETS

IT - Occhielli in acciaio nichelato per modelli Ghost

EN - Nickel plated steel eyelets for Ghost models

DE - Vernickelte Stahlösen für Ghost-Modelle

FR - Œillets acier plaqué nickel pour Ghost modèles

ES - Ojales de acero niquelado para Ghost modelos



### STEEL EYELETS

Code 640300140

### STEEL EYELETS

Code 640300150

### STEEL EYELETS

Code 640300160

### FLAT STEEL EYELETS

Code 640300190

Eyelet + nickel plated steel washer Ø 9,5 mm (0,37 in.)

Eyelet + nickel plated steel washer Ø 11,5 mm (0,45 in.)

Eyelet + nickel plated steel washer Ø 15,2 mm (0,59 in.)

Flat eyelet + nickel plated steel washer Ø 12 mm (0,5 in.)



# ACCESSORIES



## SPEEDY ROLL / SPEEDY TAPE

IT - Svolgibobine con contametri / Svolgibobine  
 EN - Speedy Roll with meter counter / Unwinding unit  
 DE - Speedy Roll mit Meterzähler / Abroller  
 FR - Speedy Roll avec compteur métrique / Débobineur  
 ES - Speedy Roll con contador de metros / Desenrollador



|  |   |
|--|---|
| <b>SPEEDY ROLL 1700</b><br><i>Code 065800130</i> | Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.) |
| <b>SPEEDY ROLL 1500</b><br><i>Code 065800100</i> | Larghezza / Width / Breite / Largeur / Ancho 1500 mm (59 in.) |
| <b>SPEEDY TAPE 1700</b><br><i>Code 065800140</i> | Larghezza / Width / Breite / Largeur / Ancho 1700 mm (67 in.) |
| <b>SPEEDY TAPE 1500</b><br><i>Code 065800110</i> | Larghezza / Width / Breite / Largeur / Ancho 1500 mm (59 in.) |
| <b>SPEEDY TAPE 750</b><br><i>Code 065800120</i>  | Larghezza / Width / Breite / Largeur / Ancho 750 mm (30 in.)  |

## ROLL HOLDERS

IT - Portarotoli orizzontali e verticali  
 EN - Horizontal and vertical roll holder  
 DE - Horizontale und vertikale Rollenstände  
 FR - Porte-bobine horizontal et vertical  
 ES - Portarollos horizontal y vertical



|   |  |
|---|--|
| <b>PRT 90R</b><br><i>Code 065850060</i>     | Lunghezza supporti/ Holder width/ Halterbreite/ Largeur du support/<br>Largeur du support 90 |
| <b>PRT 45R</b><br><i>Code 065850070</i>     | Lunghezza supporti/ Holder width/ Halterbreite/ Largeur du support/<br>Largeur du support 45 |
| <b>PRT 48R</b><br><i>Code 065850080</i>     | Lunghezza supporti/ Holder width/ Halterbreite/ Largeur du support/<br>Largeur du support 48 |
| <b>ROLLSTAR 16</b><br><i>Code 065850040</i> | Supporti/ Supports/ Träger/ Supports/ Soportes 16 x Ø 3" + 4 x Ø 2"                          |
| <b>ROLLSTAR 9</b><br><i>Code 065850050</i>  | Supporti/ Supports/ Träger/ Supports/ Soportes 9 x Ø 3" + 3 x Ø 2"                           |

## MULTIRACK

IT - Portarotoli orizzontale, capacità 36 bobine  
 EN - Horizontal roll holders for 36 rolls  
 DE - Horizontale Rollenstände für 36 Rollen  
 FR - Porte-bobine horizontal pour 36 bobines  
 ES - Portarollos horizontal por 36 rollos



|   |   |
|---|---|
| <b>MULTIRACK</b><br><i>Code 065850100</i> | Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 180 mm (7 in.) |
|---|---|

## EASY RACK

- IT - Portarotoli verticale con maniglia
- EN - Vertical roll holders with handle
- DE - Vertikale Rollenständer mit Griff
- FR - Porte-bobine vertical avec poignée
- ES - Portarollos vertical con asa



**EASYRACK**  
Code 065850110

Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 190 mm (7.4 in.)

## WALLRACK

- IT - Portarotoli da muro, capacità 10 bobine
- EN - Wall roll holders for 10 rolls
- DE - Rollenständer für die Wand für 10 Rollen
- FR - Porte-bobine de mur pour 10 bobines
- ES - Portarollos de pared para 10 rollos



**WALLRACK**  
Code 065850120

Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 160 mm (6 in.)

## BULLRACK

- IT - Portarotoli heavy duty
- EN - Heavy-duty roll holders
- DE - Rollenständer heavy duty
- FR - Porte-bobine heavy duty
- ES - Portarollos heavy duty



**BULLRACK**  
Code 065850130

Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 170 mm (6.7 in.)  
Loading capacity 575 kg

**BULLRACK MAX**  
Code 065850140

Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 250 mm (9.8 in.)  
Loading capacity 600 kg

**BULLRACK XXL**  
Code 065850150

Ø Bobine/ Ø Rolls / Ø Rollen/ Ø Bobines/ Ø Bobinas 180 mm (7 in.)  
Loading capacity 800 kg

## MAXI TRANSPORTER

IT - Carrello per bobine di grande formato

EN - Jumbo rolls transporter

DE - Rollenwagen für großes Format

FR - Chariot pour bobines de grand format

ES - Portabobinas Jumbo



**JUMBO ROLLS  
TRANSPORTER**  
Code 065850160

Dimensioni bobine/ Rolls dimensions/ Rollen Größe/ Taille des bobines/ Dimensiones de la bobina 5000 mm (197 in.)

## LIFTERS

IT - Carrelli sollevatori compatti e carrelli sollevatori per bobine pesanti

EN - Compact rolls lifters and lifters for heavy rolls

DE - Kompakte Hubwagen und Hubwagen für schwere Rollen

FR - Chariots élévateurs compacts et chariots pour bobine lourde

ES - Elevadores de bobinas compacto y elevadores de bobinas para rollos pesados



**COMPACT LIFTER**  
Code 640400020

Capacità di carico/ Loading capacity/ Ladekapazität/ Capacité de chargement/ Capacidad de carga 100kg

**COMPACT E-LIFTER LITE**  
Code 640400030

Capacità di carico/ Loading capacity/ Ladekapazität/ Capacité de chargement/ Capacidad de carga 200kg

**COMPACT E-LIFTER PRO**  
Code 640400040

Capacità di carico/ Loading capacity/ Ladekapazität/ Capacité de chargement/ Capacidad de carga 300kg

**ROLLMAX LIFTER**  
Code 640400060

Pompa idraulica a pedale/ Hydraulic foot pump/ Hydraulik-Pumpe mit Fußpedal/ Pompe hydraulique à pédale

**ROLLMAX E-LIFTER**  
Code 640400070

Batteria/ Battery/ Batterie /Batterie/ Bateria

## HAND ROLLERS

IT - Rullini manuali

EN - Hand rollers

DE - Handroller

FR - Rouleaux manuels

ES - rodillos manuales



**RMNL 200**  
Code 065300100

Larghezza / Width / Breite / Largeur / Ancho 200 mm (8 in.)  
Hard grey rubber

**RMNL 150**  
Code 065300110

Larghezza / Width / Breite / Largeur / Ancho 150 mm (6 in.)  
Hard grey rubber

**RMNL 100**  
Code 065300120

Larghezza / Width / Breite / Largeur / Ancho 100 mm (4 in.)  
Hard grey rubber

**RMNL 100**  
Code 065300400

Larghezza / Width / Breite / Largeur / Ancho 100 mm (4 in.)  
Soft red rubber

**RMNL 70**  
Code 065300130

Larghezza / Width / Breite / Largeur / Ancho 70 mm (3 in.)  
Hard grey rubber

**RMNL 70**  
Code 065300410

Larghezza / Width / Breite / Largeur / Ancho 70 mm (3 in.)  
Soft red rubber

## CLEANER ROLLER

- IT - Rullino pulitore con gomma speciale  
 EN - Cleaner roller with special rubber  
 DE - Reinigungsrolle mit einem speziellem Gummi  
 FR - Rouleau de nettoyage spécial caoutchouc  
 ES - Rodillos manuales con goma especial



**CLEANER ROLLER**  
 Code 065300340

Larghezza / Width / Breite / Largeur / Ancho 300 mm (8 in.)



## CLIPS, FELT SQUEEGES AND MAGS

- IT - Clip, spatole in feltro e calamite  
 EN - Clips, felt squeegees and mags  
 DE - Clips, Filzrakel und Magnethalte  
 FR - Clips, spatules et aimants  
 ES - Clips, espátulas de fieltro e imáns



**CLIPS**  
 Code 650800020

Clips for rolls

**FELT SQUEEGEE**  
 Code 930601031


Special felt squeegee for adhesive film application

**MAG - KING SIZE**  
 Code 650800050

Magnetic material holder - King size

**MAG - STANDARD SIZE**  
 Code 650800060

Magnetic material holder - Standard size



## CORNER ROUNDER

- IT - Taglia/ arrotonda gli angoli di vario materiale  
 EN - Cut/round off the corner of different material  
 DE - Eckenstanz schneidet/rundet Ecken von verschiedenen Material  
 FR - Coupeuse d'angles et arrondis de divers matériaux  
 ES - Corta y redondea los ángulos de diversos materiales



**CORNER ROUNDER**  
 Code 650300010

Cut/round off the corner of different material (3 R-type blades included)



## EASY BAR

- IT - Barra di taglio con riga metrica  
 EN - Cutting bar with ruler  
 DE - Schneideleiste mit Lineal  
 FR - Règle liniéaire graduée  
 ES - Barra lineal con regla métrica



|                                      |   |
|--------------------------------------|---|
| <b>EASYBAR 300</b><br>Code 065550050 | Larghezza / Width / Breite / Largeur / Ancho 300 mm (119 in.) |
| <b>EASYBAR 250</b><br>Code 065550040 | Larghezza / Width / Breite / Largeur / Ancho 250 mm (99 in.)  |
| <b>EASYBAR 200</b><br>Code 065550030 | Larghezza / Width / Breite / Largeur / Ancho 200 mm (79 in.)  |
| <b>EASYBAR 150</b><br>Code 065550020 | Larghezza / Width / Breite / Largeur / Ancho 150 mm (60 in.)  |
| <b>EASYBAR 100</b><br>Code 065550010 | Larghezza / Width / Breite / Largeur / Ancho 100 cm (40 in.)  |

## CUTTING MAT

- IT - Tappeti gommati di taglio  
 EN - Cutting mat  
 DE - Schneidunterlagen aus Spezialgummi  
 FR - Tapis de coupe en caoutchouc anticut  
 ES - Placas de corte de goma anticorte



|   |   |
|---|---|
| <b>CUTTING MAT (1 pc)</b><br>Code 650400010   | Larghezza / Width / Breite / Largeur / Ancho 100 x 200 mm (40 x 79 in.) |
| <b>CUTTING MAT (5 pcs.)</b><br>Code 650400020 | Larghezza / Width / Breite / Largeur / Ancho 100 x 200 cm (40 X 79 in.) |
| <b>CUTTING MAT (1 pc)</b><br>Code 650400030   | Larghezza / Width / Breite / Largeur / Ancho 100 X 150 cm (40 X 60 in.) |
| <b>CUTTING MAT (5 pcs.)</b><br>Code 650400040 | Larghezza / Width / Breite / Largeur / Ancho 100 X 150 cm (40 X 60 in.) |
| <b>CUTTING MAT (1 pc)</b><br>Code 650400050   | Larghezza / Width / Breite / Largeur / Ancho 90 x 120 cm (36 x 48 in.)  |
| <b>CUTTING MAT (5 pcs.)</b><br>Code 650400060 | Larghezza / Width / Breite / Largeur / Ancho 90 x 120 cm (36 x 48 in.)  |

## ACCESSORIES FOR BANNERS

- IT - Accessori per banner  
 EN - Accessories for banners  
 DE - Zubehör für Banner  
 FR - Accessoires pour bannières  
 ES - Accesorios para Pancartas, Carteles, Banderas



|  |   |
|--|---|
| <b>ELASTIC CORD</b><br>Code 645100010          | Elastic cord Ø 6 mm (0,3 in.) - white (300 m / 984 ft.) |
| <b>ELASTIC CORD</b><br>Code 645100020          | Elastic cord Ø 6 mm (0,3 in.) - black (300 m / 984 ft.) |
| <b>ELASTIC CORD</b><br>Code 645100030          | Elastic cord Ø 8 mm (0,4 in.) - white (200 m / 656 ft.) |
| <b>ELASTIC CORD</b><br>Code 645100040          | Elastic cord Ø 8 mm (0,4 in.) - black (200 m / 656 ft.) |
| <b>BASKET HOOK</b><br>Code 645200010           | Basket hook Ø 8 mm (0,4 in.) (250 pcs.)                 |
| <b>HOOK FOR ELASTIC CORD</b><br>Code 645200030 | Hook for elastic cord Ø 8 mm (0,4 in.) black (100 pcs.) |

## NO STATIC KIT

IT - 2 m di fibra elastica antistatica + 2 magneti

EN - 2 m (79 in) antistatic elastic fiber + 2 magnets

DE - Hochleitfähige Antistatikfaser + 2 Haltemagnete

FR - Fibre antistatique souple de 2 m + 2 aimants

ES - 2 m bra exible antiestática + 2 iman



**NO STATIC KIT**  
Code 610800060



Evita l'elettricità statica su pellicole adesive  
It avoids the static electricity on adhesive films  
Es verhindert die elektrische Aufladung bei selbstklebenden Folien  
Il supprime l'électricité statique sur les film adhésif  
Evita la electricidad estática con películas adhesivas

## ANTISTATIC FIBER

IT - Fibra antistatica elastica e rigida in rocchetto

EN - Elastic and stiff antistatic fiber in reel

DE - Hochleitfähige und Antistatikfaser in Rollen

FR - Fibre élastique antistatique hors bobine

ES - Rollo de fibra elástica y non anti-estática



**ELASTIC ANTISTATIC  
FIBER**  
Code 030600610

**STIFF ANTISTATIC FIBER**  
Code 030600600

**MAGNET FOR  
ANTISTATIC FIBER**  
Code 610800170



Elastic antistatic fiber (1 reel - 10 m)

Stiff antistatic fiber (1 reel - 22 m)

Magnet for antistatic fiber

Follow us:



100% Made by FLEXA



100% Made in Italy

Distributor

